


PENDING CLAIMS  
Application No. 10/182,830  
Attorney Docket No. 05725.0795-01000  
Filed: August 2, 2002

1-137. (Canceled)

138. (Previously presented) A cosmetic composition comprising:

- (i) at least one liquid fatty phase structured by at least one polymer;
- (ii) at least one structuring polymer chosen from polymers of following

formula (I):



in which n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R<sup>1</sup>, which are identical or different, are each chosen from alkyl groups with at least 4 carbon atoms and alkenyl groups with at least 4 carbon atoms;
- R<sup>2</sup>, which are identical or different, are each chosen from C<sub>4</sub> to C<sub>42</sub> hydrocarbon-based groups with the proviso that at least 50% of R<sup>2</sup> are chosen from C<sub>30</sub> to C<sub>42</sub> hydrocarbon-based groups;
- R<sup>3</sup>, which are identical or different, are each chosen from organic groups provided with at least 2 carbon atoms, with hydrogen atoms and optionally with one or more oxygen or nitrogen atoms; and

- R<sup>4</sup>, which are identical or different, are each chosen from hydrogen, C<sub>1</sub> to C<sub>10</sub> alkyl groups, and direct bonds to R<sup>3</sup> or another R<sup>4</sup>, so that the nitrogen atom to which both R<sup>3</sup> and R<sup>4</sup> are bonded forms part of a heterocyclic structure defined by R<sup>4</sup>-N-R<sup>3</sup>, with at least 50% of the R<sup>4</sup> groups representing a hydrogen atom; and

(iii) at least one solid substance having a melting point of about 45°C or greater.

139. (Previously presented) The cosmetic composition according to claim 138, wherein the at least one solid substance having a melting point of about 45°C or greater is chosen from waxes of natural origin, hydrogenated oils, waxes of synthetic origin, and silicone waxes.

140. (Previously presented) The cosmetic composition according to claim 139, wherein the waxes of natural origin are chosen from beeswax, carnauba wax, candelilla wax, ouricury wax, Japan wax, cork fiber wax, sugar cane wax, paraffin waxes, lignite wax, microcrystalline waxes, lanolin wax, montan wax, and ozokerites.

141. (Previously presented) The cosmetic composition according to claim 139, wherein the hydrogenated oil is hydrogenated jojoba oil.

142. (Previously presented) The composition according to claim 139, wherein the waxes of synthetic origin are chosen from polyethylene waxes derived from

polymerization or copolymerization of ethylene, waxes obtained by Fischer-Tropsch synthesis, tetrastearate di-(trimethylol-1,1,1 propane), fatty acid esters, and glycerides.

143. (Previously presented) The composition according to claim 139, wherein the silicone waxes are chosen from derivatives of poly(di)methylsiloxane.

144. (Previously presented) The composition according to claim 143, wherein the derivatives of poly(di)methylsiloxane are chosen from esterified silicon waxes.

145. (Previously presented) The cosmetic composition according to claim 138, wherein at least one solid substance that has a melting point of about 45°C or greater is chosen from fillers.

146. (Previously presented) The cosmetic composition according to claim 145, wherein the fillers are chosen from powders, polyamides, polymethylthacrylate crosspolymers, and silicas.

147. (Previously presented) The cosmetic composition according to claim 138, wherein the at least one solid substance that has a melting point of about 45°C or greater is chosen from solid polymers.

148. (Previously presented) The cosmetic composition according to claim 147, wherein the solid polymers are chosen from organic semi-crystallized polymers

Application No. 10/182,830  
Attorney Docket No. 05725.0795-01

comprising a) a polymeric skeleton and b) at least one organic crystallizable side-chain  
or at least one organic crystallizable sequence which is a part of said skeleton.